O Q 9

Drivers who either fail or refuse a breathalyser test can be charged. In Ontario, a charge of driving with a BAC over .08 or refusing to provide a breath sample brings an automatic 90-day suspension of the driver's licence. Penalties for impaired driving convictions vary depending on the number of times a person has been convicted of that offense. A first conviction results in the suspension of the driver's licence for one year and a \$600 fine; a second conviction results in a three-year suspension of the driver's licence, plus a 14-day jail sentence; and a third conviction results in a lifetime suspension of the driver's licence (which can be reduced to 10 years if certain conditions are met) and 90 days in jail. With a fourth conviction, there is no possibility of that person ever having an Ontario driver's licence again, plus he or she must spend another 90 days in jail. People who are caught driving while their licence is suspended will have the vehicle impounded (whether or not they are the actual owner) and face stiff fines.

In addition to these penalties, any person convicted of impaired driving in Ontario, and who wishes to have his or her driver's licence reinstated, must pay for and complete the remedial measures program "Back on Track." Components of the program include assessment, education or treatment and follow-up.

Some laws regarding impaired driving apply to people who serve alcohol, whether it's in a public place, such as a restaurant or bar, or in a private home. For example, if you had a party, and one of your guests drove away after drinking too much and caused an accident, you could be sued for damages. Everyone who serves alcohol has the responsibility to ensure that his or her patrons or guests do not get behind the wheel after drinking too much.

Other measures to prevent and control drinking and driving include widespread public awareness campaigns and the RIDE (Reduce Impaired Driving Everywhere) program, which allows police to stop drivers to check for alcohol use.

Physicians who have reason to believe that a patient may not be able to drive safely due to a medical condition — such as a serious alcohol problem or alcohol dependence — must, by law, notify the Ministry of Transportation. The Ministry may suspend the driver's licence indefinitely, pending a review by a substance-use professional.

Are people more cautious about drinking and driving than they used to be?

Statistics show a steady decline over the years in the number of crashes involving drinking drivers in Ontario. More people are taking the role of "designated driver" and choosing not to drink alcohol when they know they will be driving. Others prefer leaving the car at home, and taking a cab or public transit.

In 1988, there were 17,995 crashes involving drinking drivers in Ontario, and by 1997, that figure declined by 46 per cent to 9,757. While this trend seems to reflect the positive effect of increased public awareness and stricter laws, drinking and driving continues be a major cause of injury and death.

One in a series...

Alcohol Hallucinogens

Alcohol, Other Drugs and Driving

ملميم المجام

Amphetamines

Inhalants

Anabolic Steroids

Ketamine LSD

Heroin

Benzodiazepines

Methadone

Caffeine

Cannabis Methamphetamine

Cocaine Ecstasy

Rohypnol

Opioids

GHB Tobacco

For more information on addiction and mental health issues, or a copy of this brochure, please contact the Centre for Addiction and Mental Health's 24-hour Information Line:

ONTARIO TOLL-FREE: 1 800 463-6273 TORONTO: 416 595-6111

To order multiple copies of this brochure, or other CAMH resource materials, please contact:

Marketing and Sales Services

TEL.: 1 800 661-1111 or 416 595-6059 in Toronto

E-MAIL: marketing@camh.net

To make a donation, please contact:

Centre for Addiction and Mental Health Foundation

TEL.: 416 979-6909 E-MAIL: foundation@camh.net

If you have questions, compliments or concerns about services at CAMH, please call our Client Relations Co-ordinator at:

TEL.: 416 535-8501 ext. 2028

Visit our Web site at: www.camh.net

Copyright © 2003 Centre for Addiction and Mental Health



A Pan American Health Organization / World Health Organization Collaborating Centre Affiliated with the University of Toronto

Disponible en français 2502 / 11-03 P264

Do You Know...

How do alcohol and other drugs affect driving?

When you drive, your hands, eyes and feet control the vehicle, and your brain controls your hands, eyes and feet. To drive safely, you need to be alert, aware and able to make quick decisions in response to a rapidly changing environment.

Alcohol and other drugs alter the normal function of the brain and body, and interfere with even the most skilled and experienced driver's ability to drive safely. While different drugs can have different effects on driving, any drug that slows you down, speeds you up or changes the way you see things can affect your driving — too often with tragic consequences.



ALCOHOL AND OTHER DEPRESSANT DRUGS

Alcohol blunts alertness and reduces motor coordination. People who drive after using alcohol can't
react as quickly when they need to. Their vision is
affected, and may be blurred or doubled. Alcohol alters
depth perception, making it hard to tell whether other
vehicles, pedestrians or objects are close or far away.

And because alcohol affects judgment, people who drive
after drinking may feel overconfident and not recognize
that their driving skills are reduced. Their driving is more
likely to be careless or reckless — weaving, speeding,

driving off the road and, too often, crashing.

Alcohol is a depressant drug, which means it slows down your brain and body. Other depressant drugs, including some prescription drugs such as sedatives and painkillers, affect a person's ability to drive safely, in a way similar to alcohol. Any drug that causes drowsiness, including some cough, cold or allergy medications, can also affect a person's ability to drive safely. When alcohol and another depressant drug are combined, the effect is more intense and dangerous than the effect of either drug on its own. When taking prescription or over-the-counter medications, it is wise to consult with your doctor or pharmacist before driving.

STIMULANTS

Stimulant drugs, such as caffeine, amphetamines and cocaine, may increase alertness, but this does not mean they improve driving skills. The tired driver who drinks coffee to stay awake on the road should be aware that the stimulant effect can wear off suddenly, and that the only remedy for fatigue is to pull off the road, and sleep. Amphetamines do not seem to affect driving skills when taken at medical doses, but they do make some people over-confident, which can lead to risky driving. Higher

doses of amphetamines often make people hostile and aggressive.

People who use cocaine are also likely to feel confident about their driving ability. But cocaine use affects vision, causing blurring, glare and hallucinations. "Snow lights" — weak flashes or movements of light in the peripheral field of vision — tend to make drivers swerve toward or away from the lights. People who use cocaine may also hear sounds that aren't there, such as bells ringing, or smell scents that aren't there, such as smoke or gas, which distract them from their driving.

CANNABIS AND OTHER HALLUCINOGENS

Cannabis impairs depth perception, attention span and concentration, slows reaction time, and decreases muscle strength and hand steadiness — all of which can affect a person's ability to drive safely.

The effects of hallucinogenic drugs, such as LSD, ecstasy, mescaline and psilocybin, distort perception and mood. Driving while under the influence of any of these drugs is extremely dangerous.

What is blood alcohol content?

When you drink alcohol, it goes directly from your stomach into your bloodstream. Blood alcohol content (BAC), or percentage of alcohol in your blood, can be measured by police with a breathalyzer or blood test. Under provincial laws in the Ontario Highway Traffic Act, a .05 BAC can result in a 12-hour licence suspension. The Criminal Code of Canada sets the "legal limit" for drinking and driving at .08 BAC. Ontario drivers with a level one or two graduated licence must maintain a zero BAC.

Because people react differently to the effects of alcohol, it is very difficult for a person to judge his or her own BAC. A person may not feel "drunk," but may still be legally impaired.

Is there some way I can quickly "sober up" if I've been drinking and need to drive home?

No. Once a person consumes alcohol, it enters the bloodstream, and only time can reduce the concentration of alcohol in the blood. It takes about an hour for the average human body to process and eliminate two-thirds of the alcohol in one standard drink. This rate is constant, meaning that the more you drink, the longer time you need to wait before driving. Drinking coffee or other caffeinated beverages might make you more alert, but your ability to drive will still be impaired.

How many accidents involve drivers who have been drinking alcohol or using other drugs?

About 1,350 people die each year in Canada in motor vehicle crashes involving a drinking driver, and many more are seriously injured or disabled. In Ontario in 1997, alcohol was involved in 39 per cent of motor vehicle fatalities, 45 per cent of marine vehicle fatalities and 64 per cent of snowmobile and all-terrain vehicle fatalities. Drinking and driving is the largest single criminal cause of death and injury in Canada.

The role of other drugs, used on their own or in combination with alcohol, is not routinely assessed in traffic accidents, but is known to be an important factor in many road deaths. When people involved in traffic accidents were tested for the presence of drugs in a 1992 study, the drug found most often was alcohol. However, the total number of positive test results for all drugs other than alcohol was greater than the number of positive test results for alcohol alone. After alcohol, the

most commonly detected drugs were cannabis, benzodiazepines and cocaine.

Young people who drink and drive may be particularly at risk for being involved in a motor vehicle accident because they have less experience with driving, and are more likely to engage in risk-taking behaviour.

Who are the people who drink and drive?

Studies have found that people who have been convicted of impaired driving offenses come from many different backgrounds, age and income groups. Such studies have also identified certain characteristics of people who drink and drive. Looking at convicted drinking drivers, we see that

- · most are male
- · a high proportion are "heavy" drinkers
- many have an "antisocial attitude," meaning they lack respect for the law and the safety of others, and
- of those who are convicted of drinking and driving, almost all report having driven while under the influence many times before.

What are we doing to reduce impaired driving?

Impaired driving of any vehicle is a criminal offense with strict penalties under federal and provincial law. Such penalties include suspension of the driver's licence, fines, jail sentences, treatment and education.

The term "impaired" refers to not only the effects of alcohol, but also other drugs. More charges are laid for impaired driving offenses, and more court resources are devoted to the prosecution of these charges, than any other offense in Ontario.

Alcohol, Other Drugs and Driving